



# **Company Profile**

DEV POLYPACK Company is the leading ISO 22000:2018, ISO 9001:2015 certified manufacturer and exporter of Polypropylene Woven products manufactured in Morbi (Gujarat). Established in the year 2015 with an installed production capacity of 600 metric tons per month,

We are one of the well established brands in the field of woven Polypropylene product manufacturing industry. We specialise in multiple Polypropylene and Polyethylene products like PP Woven Fabric (Laminated/Un-laminated), PP Woven Sacks, FIBC (Jumbo Bags).

We cater to customised global requirements from GCC countries, Europe, Africa and America region.

Our bags are used for packing Fertilisers, Cement, Charcoal, Chemicals, Animal feeds, Seeds, Ice, Sugar, Flour, Food, Salt, Rice and Grains, etc.





standard requirements before being shipped to our customers.

## Certifications





OCCUPATION OF THE PERSON OF TH		ni sayan hap	érative CorWindo		
*		erra erraci erranent of h pri wore cra Small and h		MEME	
RE		DYA!	M ERTIFICAT	E	
-	small hands to she you LARGE	<b>Q</b>	美	1	
THE OF EXTRAPOSE	MALL		MANAPACTERING		
THYANGED PATRICINAL STREET	LOY AM-CA-ID-MONTON				
NAME OF EXPERIENCE	MS PRI PRI PSC				
DOCTOR CATEGORY OF	Greend				
AWERENES	The September 1 and Text September 1				
COPPE AL ADDRESS CO EXTERPRISE	Marken Mari Na Chapitan Analismat as See	ingree to conf in tage belonder than outsided	No. of house body	Top Test day  Top Test day  Test day	
BATE OF INCORPORATION. RESERVED OF ENTERPRISE			NAME OF TAXABLE PARTY.		
PRODUCTION BEADOM	04004				
CLASSIFICATION CONTROL	The Street	-	TO Senten date of the contract	ngs April Ap	
DATE OF EDVAN RECOVERATION	26920				
Cited Frontiers, yes may central.  1. DEC MORRES 2. MORRES AND MORRES  WART	hiner this is company friend from	ep Manage		BE A CHAMPION with the Michary of MSME	

	Government of India		
	Ministry of Commerce and Industry		
	Directorate General of Foreign Trade  I the Joint Director General of Foreign Trade, Railor		
	Estate Classed Building , 4th Floor, M.G.Read, Rajket		
	A SHELDER SHELDER FOR HELDER SHELDER SHELDER SHELDER SHELDER		
	Importer-Exporter Code		
This is to certify the	DEV POLYPACK is issued as Imposter Especter Code (IEC)		
2416910245 with d	nale as follows		
nc	2416910248		
PAN, (98), is must been	AALFD1633P		
कर्त कर गाम)Firm Name	DEV POLYPACK		
Pere of upfit Nature of Concern	Emeniq		
जाने काने की तारीन्त Unit of Locae	0509/2016		
WE Registered Address	SURVEY NO. 626F, LAJAI CHOKDL, OFF UMA COTTON, HADMATIYA KOAD, TANKARA MORBI, MORRE, GUJARAT, 361690		
orcargoarres sources			
NEON THE WEST / Name of the	SURESHBHAI KARAMSHIBITAI GADARA		
nave, no wow / Name of the Signatory	SURESHBHAI KARAMSHIBHAI GADARA  Refer online at Imput/digit, gov in or som the QR Code		
new up up / Name of the Signatory Director / Partner Details assurgemi / Heanch Details			
now us way / Name of the Signatory Director / Partner Details	Refer online at Intput/Algft gav in or som the QR Code		





Polypropylene fabric consists of hydrophobic which restricts the possibility of moisture in the fabric and further it extracts the moisture vapour away from the skin. We offer products that are superior in technical parameters and with minimum defects (less than 1%).

#### Available in:

PP Woven Fabrics are available

 Circular Woven Fabrics: laminated and un-laminated (width from 35 cm to 95 cm)

## Typical application:

Polypropylene (PP) Small Sack, Polypropylene (PP) Box Bags, Polypropylene (PP) Perforated Bags, Polypropylene (PP) Post/Courier Bags, Flexible Intermediate Bulk Container (FIBC).

#### **Technical Parameters**

Weight: As per customer requirement

 Width
 : 40 cm to 150 cm

 Denier
 : 500 to 1500

 GSM
 : 45 to 120

Length : As per customer requirement

**Colours** : Any colour **Print** : Up to 4 colours

Packing : As per customer requirement Laminated/Coated : As per customer requirement

**Perforated**: Yes

**Mesh** : 10 x 10 to 12 x 12

**UV Stabilisation** : As per customer requirement



The Laminated sack is leak-proof and will provide contamination protection from foreign particles. This can be manufactured as per the client's requirements, having denier ranging from 600-1200 and width from 40 cm to 95 cm circular. These sacks can be printed in four different colours.

Typical application: Food Grains, Chemicals, Fertiliser, Construction Aggregates.

#### **Un-laminated PP Woven Sack**

PP Woven Sack can be produced in different designs, deniers and pattern. The length and width of the product can be produced as per the client requirements, having denier from 600-1200 and width from 40 cm to 95 cm circular.

Typical application: Food Grains, Chemicals, Fertiliser, Construction Aggregates.

#### PP Woven Sack with liner

We have an in-house facility of liner manufacturing to manufacture PP Woven sack with liners. We provide liner top hemmed with PP Woven Sack. Liner size is available from 40 cm to 150 cm in circular. Liner bottom seam can be sealed single line or double line. Typical application: Fertiliser, Sugar, Chemical, Construction Aggregates, etc.

## **Types of Woven Sacks**

PP WOVEN SACKS I Technical Parameters

Type: Laminated & Un-laminated

with/without Liner
Width: 30 cm to 95 cm
Denier: 600 to 1200
GSM: 45 to 220

Length: As per customer requirement

Colours: Any colour
Print: Up to 4 colours
Perforated: Optional
Mesh: 10 x 10 to 12 x 12
UV Stabilisation: Optional





Leno bags for packing of fruits and vegetables are globally acceptable and recognized by market. Our Bags are best fit for packaging feed for product like potato, onion, cabbage, citrus fruits and other. We manufacture and procure the best quality of raw material to process these bags. Leno bags are cost effective and allows better circulation of air which is good for long life of fruit and vegetables. It is available in various size and design.

**Applications** 

Vegetables: Onions, Garlic, Potatoes, Brinjals, Cabbages & Ginger

Fruits: Oranges, Sweet Lime & Pineapples

Cash crops: Groundnuts, Areca nuts & Coconuts

Tendu leaves & Tea leaves

Anti-hail nets, Seafood harvesting & Fruit covers

Brid protection covers for orchards

#### **Product Features:**

Bag Dimensions (Width) - Width Offered - 12" to 30"

Bag Dimensions (Length) - As per requirement

**Mesh** - 5 x 5 to 10 x 10

Denier - 300 Denier to 1400 Denier

Weight - 50 GSM and above

**Lamination**- None

Top Side of Bag - Heat Cut - Plain, Hemmed Edges

Bottom Side of Bag - Single Fold (38 mm. Max)

Single stitch / Double Stitch

**UV stabilization** - Offered on request (as per desired specifications)

**Printing** - None

Strength - We can match desired strength in warp & weft accordingly

**Elongation** - As per your requirement.

Packing - As per your requirement.

Fabric Colour - Red / Orange/Yellow/Natural/ Multi-Colour

Design / With Strips of different colours / as per your requirement

Customization - You communicate - STP makes it feasible





of free flowing material in the granular, power or crumble form.

Very easy to store and handle the FIBC with a standard equipment

Bulk bags when not in use could be easily folded and requires very less space in comparison to the storage of empty fibber drums and other containers used for packaging.

Bulk bags/FIBCs once packed and filled with material does not require any additional packaging. FIBCs are packed flat and square in a bale for the delivery of FIBC bags to the end users for the its

Depending upon the bulk capacity of the product and its application, the FIBCs/Bulk bag comes with the guarantee of the Safe Factor of 5:1 and 6:1 for the Dangerous goods.

#### **Product Features:**

Product Weight: Approx. 1000 ~ 2500 grams (Depends on size)

GSM (gram per sq. meter): Approx. 150 ~ 225 GSM Material Quality: P.P 100% virgin (Polypropylene)

Bag Shape Type: U Panel, Tubular, Circular, Rectangular,

Straight bag, or as per custom require

Bottom Option: Flat Bottom, Discharging Spout

Top Option: Full Open, With spout, With skirt cover, Duffle

**Surface Fabric:** A Coating or Plain (Lamination)

Pealing: B Printing or no printing

Liner: (HDPE, LDPE) or as per custom require Sewing: Plain, Chain, Chain lock with soft proof

Loop Option: 2 belts, 3 belts, 4 belts, Cross coren loop,

fully loops and Loop in Loop

Safety Facto r: 3:1, 4:1, 5:1, 6:1 or as per custom require

Feature: Antistatic

Application: Chemical, Fertilizer, Rice, Sugar, Salt, Cement, Metal waste, and many more

Colour: As per custom require

Packing MOQ: 500



#### ISO 22000:2018 & ISO 9001:2015













Survey No. 626 P1, Lajai Chokdi, Hadmatiya Road,

- Opp. Uma Cotton, LAJAI.Tal. Tankara, Dist. Morbi 363 650 (Guj.) INDIA.
- **L** +91 9727240640 / +91 7737759159
- devpolypacksales@gmail.com
- export.devpolypack@yahoo.com
- www.devpolypack.com



